

Ø148 1060

All specifications subject to revision without notice

LID TEMPERATURE: Standard lid to 2066 and 2166 Hot: The material chosen has a very good heat resistance and the packaging is Weight: 13,0 g suitable for hot filling. **MATERIAL:** (Product temperature of 85° to 90°) Pots and lids are produced in random and copolymer polypropylene in grades **Cold:** Random resists temperature to 5°C approved for food packaging by BGA and Block resists temperatures down to -20°C. FDA which satisfy the demands of the Deep freezing below -20° will require EU directive 90/128 plus amendment of a speciel resin which is avaible on request. 1995-02-14 (Global migration) COLOURS: Lids are available in clear and Toppac standard colours. **DECORATION:** HANDLE: No handle. With In-mould-labeling QUALITY CONTROL: Contact Toppac for drawings. Pots and lids are subject to a strict daily quality control. CONTAINER/PACKAGING Toppac is certified by Global Standard Pallet size:L-1220*B-810*H-145 for packaging and packaging material, Box size: L-590*B-400*H-360 Issue 5, High Hygine Risk with the grade Boxes: 12 boxes with 918 units per AA box. 24 boxes on one pallet place.

Toppac A/S, Tinvej 2, 8940 Randers DK, Tel (0045) 87119411, Fax (0045) 87119419